TS ORACLE DataServer[™]UNIX Quick Start

Introduction

To install TS ORACLE DataServerTM (UNIX), follow these quick and easy steps. Approximately 1.5MB is required on the server system.

CD Installation

Thoroughbred's CD-ROM installation replaces the need for multiple pieces of media.

UNIX installations are accomplished using cpio. Before using cpio with a CD-ROM drive, the drive must be mounted. Sample mount commands are as follows:

SCO:	mount -r -f HS,lower /dev/device-name /mountpoint
AIX:	mount -r -v cdrfs /dev/device-name /mountpoint
HP:	mount -r -F cdfs /dev/device-name /mountpoint
DEC UNIX:	<pre>mount -r -t cdfs -o noversion /dev/r34c /mountpoint</pre>
RedHat Linux:	mount -r -t iso9660 /dev/device-name /mountpoint

After mounting the CD-ROM drive, continue with the documented steps from the TS ORACLE DataServer manual. The CD-ROM contains a cpio file for each product. The product cpio file name should be substituted for the /dev/device-name. Be sure to include the mountpoint, product platform folder, and product file with the cpio command. For example, to install TS ORACLE DataServer on SCO:

- 1. Login as root
- 2. mount -r -f HS,lower /dev/cd0 /cdrom
- 3. cd basic-home-directory
- 4. umask 0
- 5. cpio -icvBmud </cdrom/tsoracle (For Linux use -ivBmud above.)
- 6. ./install

In step 2, cd0 is the name of the CD device. In steps 2 and 5, cdrom is the mountpoint name.

CD-ROM installations also include a HelpDocs folder. This folder contains Release Notes associated with the software version.

Getting Started

- 1. Login as the ORACLE Administrator.
- 2. After the ORACLE database is up and running, execute tsoracle10.

Configuring Clients

- 1. Update SERVER.MAP with Server IDs and TCP/IP addresses.
- 2. Add Dev line to IPLINPUT using the ORACLE Server ID found in SERVER.MAP
- 3. Update the Dictionary-IVTM Link Definitions by adding the Server ID and Table Names.